I 49.89: 87/47-1/map C5

MAP C5

MMS 85-0011
FWS/OBS-82/47.1

Marianna

FLORIDA ECOLOGICAL ATLAS

SOILS AND LANDFORMS

ORIGINAL

Scale 1:100 000

TOPICAL MAPS IN THIS ATLAS:
A. BIOLOGICAL RESOURCES
B. SOCIOECONOMIC FEATURES
C. SOILS AND LANDFORMS
D. OIL, GAS AND MINERALS
E. HYDROLOGY AND CLIMATOLOGY

1984

Produced by U.S. Fish and Wildlife
Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal



Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal Transverse Mercator
10,000-foot grid ticks based on Florida coordinate system, west zone

Overlay material compiled in 1983 from latest available data obtained from Federal, State and Local government agencies and other sources.

MAJOR SURFACE LANDFORMS

Western Highlands	Fountain Slope
Escambia Valley	Grand Ridge
Gulf Coastal Lowlands	Northern Highlands
Gulf Barrier Chain	Coastal Swamps
Marianna Lowlands	Orantonia Ridge
Ten Hope Ridge	Western Valley
Greenhead Slope	

SOIL ASSOCIATIONS

1. Lakeland-Eunola-Lakewood Association
2. Lakeland, Norfolk, and Norfolk-Sunlevel, Carnegie and Cuthbert Association
3. Red Bay-Blakely Association
4. Tifton-Carnegie-Faceville Association
5. Tifton-Norfolk-Dothan Association
6. Tifton-Ivanhoe-Lynchburg Association
7. Kita-Leon Association
8. Coastal Beach-Dune Association
9. Coastal Dune Land and Beach-Tidal Marsh Association
10. Plummer-Rutlege-Alcolad Land-Fresh Water Swamp-Dunnellon Pamlico Association
11. Lakeland-Pomona-Kendall-St. Lucie-Ronnie Association
12. Troup-Orangeburg Association
13. Troup-Orangeburg Association
14. Dothan-Orangeburg Association
15. Red Bay-Orangeburg Association


WESTERN HIGHLANDS
GULF COASTAL LOWLANDS
NEW HOPE RIDGE
GREENHEAD SLOPE
FOUNTAIN SLOPE
NEW HOPE RIDGE
GULF COASTAL LOWLANDS
GRAND RIDGE

SCALE 1:100 000

KILOMETERS 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

MILES 0 1 2 3 4 5 6 7 8 9 10 11 12 13

1 CENTIMETER ON THE MAP REPRESENTS 1 KILOMETER ON THE GROUND

CONTOUR INTERVAL 5 METERS

0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 11000 12000 13000 14000 15000 16000 17000 18000 19000 20000 METERS

0 5000 10000 15000 20000 25000 30000 35000 40000 45000 50000 55000 60000 65000 FEET

THE FLORIDA ECOLOGICAL ATLAS WAS PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE, SOUTHEAST REGIONAL OFFICE, ATLANTA, GEORGIA, UNDER INTERAGENCY AGREEMENT NO. 81-RTO-600. IT WAS THE MINERALS MANAGEMENT SERVICE FOR COASTAL PLANNING, DECISION MAKERS, AND THE GENERAL PUBLIC, TO DETERMINE AND EVALUATE THE IMPACTS OF OUTER CONTINENTAL SHELF OIL AND GAS ACTIVITIES ON RESULTS TO RESOURCEMENTS, AND THE MAINTENANCE OF ECOLOGICAL DIVERSITY. THE STUDY AREA INCLUDES THE COASTAL COUNTIES: ESCAMBIA, SANTA ROSA, OKALOOSA, WALTON, HOLMES, WASHINGTON, BAY, JACKSON, CALHOUN, GULF, FRANKLIN, JEFFERSON, TAYLOR, DIXIE, LEVY, CITRUS AND HERNANDO, AND EXTENDS SEAWARD TO THE OUTER EDGE OF THE CONTINENTAL SHELF. THE MAPS AND DATA ARE OR PRODUCTS OF THIS STUDY. TO DEFINE THE LIMITS OF PROPRIETARY INFORMATION INVOLVED, AND TO ASSESS THE IMPACTS OF THE OCS OIL AND GAS LEASING PROGRAM ON THE ECOLOGICAL SCOPE OF THE REGULATION PROGRAMS OF GOVERNMENT AGENCIES.

THIS MAP HAS BEEN COMPILED FROM A VARIETY OF SOURCE MATERIALS INCLUDING MAPS, AERIAL PHOTOS, AND REPORTS. SINCE MANY SOURCES OF INFORMATION HAVE BEEN USED IN THE PREPARATION OF THIS COMPILATION, THE USER SHOULD REFER ONLY TO THOSE MAPS FOR PRECISE MEASUREMENTS OF DISTANCES OR AREAS.

PRIMARY SOURCES OF MAPPED INFORMATION:

LANDFORMS: Physiographic Map of Florida. State Bureau of Geology, 1980.

SOILS: General Soils Atlas of Florida. Soil Conservation Service, 1975.
General Soils Atlas of Florida, U.S. Soil Conservation Service, 1982.

ACTIVE DUNES: Black and White Aerial Photographs, 1:24 000 Scale, Where Available. Aerial Surveys Inc., 1982.
Topographic Maps - 1:24 000 Scale, U.S. Geological Survey, Various Dates.

GEOLOGIC FAULTS: The Geology of the Florida Panhandle. Florida Bureau of Geology, Map Series Number 74, 1976.
Northern Florida Geology. 1982.

FOR COMPLETE REFERENCES SEE MAP NARRATIVE

1. Lakeland-Eustis-Lakewood Association: Nearly level to gently sloping, excessively drained soils, sandy throughout.
10. Plummer-Ruskyn-Allanton Land-Fresh Water Swamp-Donovan-Pamlico Association: Nearly level, poorly drained soils and very poorly drained soils, loamy subsoil and sandy to thin sandy soils that are sandy throughout.
12. Lakeland-Troup Association: Nearly level to steep, excessively drained soils, sandy throughout, and well drained soils with very thick sandy layers over loamy subsoil.
14. Dothan-Orangeburg Association: Nearly level to sloping, well drained, sandy soils with loamy subsoils.
15. Fuquay-Lucy-Troup Association: Nearly level to sloping, well drained soils with sandy layers over loamy subsoil.
21. Lakeland-Fazzella Association: Sloping to steep, excessively drained soils, sandy throughout, and well drained, loamy soils with clayey subsoils.
22. Chipley-Albany-Leon Association: Nearly level to gently sloping, moderately well drained and somewhat poorly drained soils with very thick sandy layers over loamy subsoils, and poorly drained sandy soils with wet/dry somewhat sandy subsoil.
23. Ardilla-Lenfield-Dillon Association: Nearly level to gently sloping, somewhat poorly drained and moderately well drained sandy soils with loamy subsoil.
24. Tifton-Faceville-Greenville Association: Nearly level to sloping, well drained loamy soils with loamy subsoil.
25. Norfolk-Ruston-Goldsboro Association: Nearly level to sloping, well to moderately well drained, sandy soils with loamy subsoil.
26. Tifton-Faceville-Marlboro Association: Nearly level to sloping, well to moderately well drained sandy soils with loamy or clayey subsoil.
27. Lakeland-Cuthbert-Dothan Association: Sloping to steep, excessively drained and well drained soils, and moderately well drained sandy soils with clayey subsoil.
28. Blanton-Klej-Plummer Association: Nearly level to gently sloping, moderately well drained, and poorly drained soils that are sandy throughout.
29. Goldsboro-Lewisburg-Nona Association: Nearly level to gently sloping, moderately well drained, somewhat poorly drained, and poorly drained sandy soils with loamy subsoil.
31. Lakeland-Foxworth-Centenary Association: Nearly level to sloping, excessively drained and moderately well drained soils, sandy to depths of 80 inches or more, some of which have organic stained sandy layers.
33. Hurricane-Chipley-Albany Association: Nearly level to gently sloping, somewhat poorly drained soils, some sandy throughout, some have sandy to depths of 40 inches or more and loamy subsoil.
34. Pottsburg-Leon-Rutlege Association: Nearly level, poorly drained soils sandy to depths of 80 inches and some with organic stained sandy layers.
37. Chipley-Albany-Dillon Association: Nearly level, moderately well drained soils that are sandy throughout, poorly drained soils with very thick sandy layers over loamy subsoil, and moderately well drained sandy soils with loamy subsoils.
38. Dunbar-Blaken Association: Nearly level, poorly drained loamy soils with clayey subsoils.

E = __ ft/yr — BEACH EROSION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

A = __ ft/yr — BEACH ACCRETION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

GULF BARRIER ISLAND

ACTIVE DUNE AREA

U/D — NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

U/D — SUB-SURFACE NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

STUDY AREA BOUNDARY

Offshore

Inland (County)

Inland (State)

1. Escambia Co. Audubon Society
2. Santa Rosa Audubon Society
3. Okaloosa Audubon Society
4. Walton Co. Audubon Society
5. Choctawhatchee Audubon Society
6. Holmes Co. Audubon Society
7. Washington Co. Audubon Society
8. Bay Audubon Society
9. Jackson Co. Audubon Society
10. Calhoun Co. Audubon Society
11. Gulf Audubon Society
12. Franklin Co. Audubon Society
13. Jefferson Co. Audubon Society
14. Taylor Co. Audubon Society
15. Dixie Co. Audubon Society
16. Levy Co. Audubon Society
17. Citrus Co. Audubon Society
18. Hernando Audubon Society
19. Jacksonville, upr. Chatfield-Stanton Association
20. Sandlin Augusta Association
21. Jonesville Chatfield-Archer Association
22. Gainesville Chatfield-Archer Association
23. Fernando-Archer Chatfield Association
24. Dyan Lochloosa Tavares Association
25. Adamsville-Dixie Association
26. Bushnell Wekiwa-Felda Association
27. Lake Wauseon Sumterville Association
28. Leon Wauseon-Surrency Association
29. Lowe Pomona-Pompano Association
30. Candler Felda-Tavares Association
31. Candler-Adamsville Association
32. Candler Bushnell Association
33. Brevard-Boca Association
34. Parkwood-Ben Bushnell Association
35. Myakka Pomello Association
36. Waggett, var. Pompano Association
37. Terra Ceia Placid Association
38. Arredonda-Dyan Kendrick Association
39. Candler Lake Association
40. Lake Pomello Association
41. Nubberie-Bichton-Flamingo Association
42. Eau Gallie-Wabasso-Basinger Association
43. Paisley-Floridana-Wabasso Association
44. Riomasco-Arpeka-Terra Ceia Association
45. Riomasco-Pineda-Malabar-Basinger Association
46. Floridana-Basinger Association
47. Salt Water Marsh and Swamp Association
48. Fresh Water Marsh and Swamp Association
49. Bushnell-Lochloosa-Kendrick Association
50. Paisley Bushnell Association
51. Myakka Pomello Association

MICROFILMED BY
PRESERVATION RESOURCES
BATH, OHIO